

# Dimensionals



(800) 284-7273 • thepapermill.com

## Konica Minolta Bizhub PRO C6500/6501/6501P/5500/5501

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 50 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> </ul>
EconoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 50 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> </ul>
PromoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 50 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> </ul>
Magnot	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load max 50 sheets with cards on lead edge or away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting, cutting.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> <li>Polyester card is only printable on one side unless custom is quoted.</li> </ul>
2UP, 7mil BestCard Paper Magnot 5mil 2UP, 7mil/4mil BestCard/Clear Poly Magnot						
Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 50 sheets at a time with cards on operator side.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting, cutting.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> <li>Polyester card is only printable on one side unless custom is quoted.</li> </ul>

## Konica Minolta Bizhub PRESS C70hc/C71hc/PRO C65hc

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 50 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> </ul>
EconoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 50 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> </ul>
PromoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP,10mil 2UP, 10mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 50 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> </ul>
Magnot	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 50 sheets at a time with cards on trailing edge.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting, cutting.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> <li>Low tack adhesive is cleanly repositionable for up to 6 months.</li> <li>Cards should be applied to clean, dry surfaces for best results.</li> </ul>
2UP, 7mil BestCard Poly Magnot 5mil 2UP,7mil/4mil BestCard/Clear Poly Magnot						

Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 50 sheets at a time with cards on operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting, cutting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Polyester card is only printable on one side unless custom is quoted.</li> </ul>

### Konica Minolta Bizhub PRESS C7000/C7000P/C6000/PRO C6000L

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards away from operator.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Manual duplex may be required.</li> </ul>
1UP, 2WIDE, 7mil					Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> <li>• Manual duplex may be required.</li> </ul>
2UP, 2WIDE, 7mil	Yes	118	Plain	White	Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards on lead edge.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Manual duplex may be required.</li> </ul>
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	148	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards on operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Manual duplex may be required.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> </ul>
2UP, 2WIDE, 10mil					Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards on operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Manual duplex may be required.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> </ul>

Magnot	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load max 50 sheets with cards on lead edge or operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting, cutting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Low tack adhesive is cleanly repositionable for up to 6 months.</li> <li>• Cards should be applied to clean, dry surfaces for best results.</li> </ul>
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	300	Coated-ML	White	Short Edge Feed	

Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 50 sheets at a time with cards on operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting, cutting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Polyester card is only printable on one side unless custom is quoted.</li> </ul>
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil					Short Edge Feed	

### KONICA MINOLTA BIZHUB PRESS C1070/C1070P/C1060/PRO C1060L

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards away from operator.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Manual duplex may be required.</li> </ul>
1UP, 2WIDE, 7mil					Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> <li>• Manual duplex may be required.</li> </ul>
2UP, 2WIDE, 7mil	Yes	118	Plain	White	Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> <li>• Manual duplex may be required.</li> </ul>

1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	148	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards on lead edge.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Manual duplex may be required.</li> </ul>
2UP, 2WIDE, 10mil	Yes	148	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards on operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Manual duplex may be required.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> </ul>
<b>EconoCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>Mode/Type</b>	<b>Color</b>	<b>Orientation</b>	<b>Notes</b>
1UP, 9mil 2UP, 9mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards away from operator.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> </ul>
<b>PromoCard</b>	<b>Compatible</b>	<b>GSM</b>	<b>Mode/Type</b>	<b>Color</b>	<b>Orientation</b>	<b>Notes</b>
1UP, 10mil 2UP, 10mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards away from operator.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> </ul>
<b>Magnot</b>	<b>Compatible</b>	<b>GSM</b>	<b>Mode/Type</b>	<b>Color</b>	<b>Orientation</b>	<b>Notes</b>
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load max 50 sheets with cards on lead edge or operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting, cutting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Low tack adhesive is cleanly repositionable for up to 6 months.</li> <li>• Cards should be applied to clean, dry surfaces for best results.</li> </ul>
2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot						
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	300	Coated-ML	White	Short Edge Feed	
<b>Impressed Card</b>	<b>Compatible</b>	<b>GSM</b>	<b>Mode/Type</b>	<b>Color</b>	<b>Orientation</b>	<b>Notes</b>
1UP, 7mil					Long Edge Feed	
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 50 sheets at a time with cards on operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting, cutting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Polyester card is only printable on one side unless custom is quoted.</li> </ul>

## KONICA MINOLTA BIZHUB PRESS C8000

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards away from operator.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Manual duplex may be required.</li> </ul>
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain	White	Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> <li>• Manual duplex may be required.</li> </ul>
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	300	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards on lead edge.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Manual duplex may be required.</li> </ul>
2UP, 2WIDE, 10mil	Yes	300	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 100 sheets at a time with cards on operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Manual duplex may be required.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> </ul>
1UP, 13mil 2UP, 13mil	Yes	350	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 50 sheets at a time with cards on lead edge.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Manual duplex may be required.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> </ul>

EconoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 100 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> </ul>
PromoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 100 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> </ul>
Magnot	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load max 50 sheets with cards on lead edge or operator side.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting, cutting.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> <li>Low tack adhesive is cleanly repositionable for up to 6 months.</li> <li>Cards should be applied to clean, dry surfaces for best results.</li> </ul>
2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot						
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	300	Coated-ML	White	Short Edge Feed	
Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil					Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 50 sheets at a time with cards on operator side.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting, cutting.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> <li>Polyester card is only printable on one side unless custom is quoted.</li> </ul>
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Coated-ML	White	Short Edge Feed	

## KONICA MINOLTA BIZHUB PRESS C1100/C1085

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 100 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> <li>Manual duplex may be required.</li> </ul>
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain	White	Short Edge Feed	<ul style="list-style-type: none"> <li>Load up to 100 sheets at a time with cards operator side.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> <li>Manual duplex may be required.</li> </ul>
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	300	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> <li>Load up to 100 sheets at a time with cards on lead edge.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> <li>Manual duplex may be required.</li> </ul>
2UP, 2WIDE, 10mil	Yes	300	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> <li>Load up to 100 sheets at a time with cards on operator side.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Manual duplex may be required.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> </ul>
1UP, 13mil 2UP, 13mil	Yes	350	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> <li>Load up to 50 sheets at a time with cards on lead edge.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Manual duplex may be required.</li> <li>If guillotine cutting, stack up to 30 sheets at a time.</li> </ul>
EconoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 100 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> </ul>
1UP, 10mil 2UP, 10mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>Load up to 100 sheets at a time with cards away from operator.</li> <li>Not recommended to print artwork over perfs/cuts.</li> <li>Test any post printing processes ie. folding, inserting.</li> </ul>

Magnet	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load max 50 sheets with cards on lead edge or operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting, cutting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Low tack adhesive is cleanly repositionable for up to 6 months.</li> <li>• Cards should be applied to clean, dry surfaces for best results.</li> </ul>
2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet						
4UP, 7mil Paper Magnet 4UP, 5mil Polyester Magnet	Yes	300	Coated-ML	White	Short Edge Feed	
Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil						
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> <li>• Load up to 50 sheets at a time with cards on operator side.</li> <li>• Not recommended to print artwork over perfs/cuts.</li> <li>• Test any post printing processes ie. folding, inserting, cutting.</li> <li>• If guillotine cutting, stack up to 30 sheets at a time.</li> <li>• Polyester card is only printable on one side unless custom is quoted.</li> </ul>