

Dimensionals



(800) 284-7273 • thepapermill.com

Ricoh PRO C5100s/C5110s

BestCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (101-127.4 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting.
1UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (101-127.4 gsm)	Short Edge Feed	<ul style="list-style-type: none"> If guillotine cutting, stack up to 30 sheets at a time. Manual duplex may be required.
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (101-127.4 gsm)	Short Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. Manual duplex may be required.

EconoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	6 (150-216 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. Manual duplex may be required.
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	6 (150-216 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. Manual duplex may be required.

Magnot	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	118	Plain Paper	4 (101-127.4 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load max 50 sheets with cards on lead edge or operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months.
4UP, 7mil Paper Magnot 4UP, 7mil Polyester Magnot	Yes	236	Coated: Gloss	7 (2161-256 gsm)	Short Edge Feed	<ul style="list-style-type: none"> Cards should be applied to clean, dry surfaces for best results. Manual duplex may be required.

Impressed Card	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (101-127.4 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted. Manual duplex may be required.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil					Short Edge Feed	

Ricoh PRO C651EX/751/751EX

BestCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Manual duplex may be required.
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Short Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. Manual duplex may be required.

EconoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting.

PromoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting.

Magnot	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load max 50 sheets with cards on lead edge or operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months.
4UP, 7mil Paper Magnot 4UP, 7mil Polyester Magnot	Yes	236	Coated: Gloss	6 (220.1-256 gsm)	Short Edge Feed	<ul style="list-style-type: none"> Cards should be applied to clean, dry surfaces for best results. Manual duplex may be required.

Impressed Card	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted. Manual duplex may be required.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil					Short Edge Feed	

Ricoh PRO C900/C900s

BestCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Manual duplex may be required.
1UP, 2WIDE, 7mil					Short Edge Feed	
1UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Short Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. Manual duplex may be required.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (256.1-300 gsm)	Short Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Manual duplex may be required.
2UP, 2WIDE, 10mil					Short Edge Feed	

EconoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting.

PromoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. Manual duplex may be required.

Magnot	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> Load max 50 sheets with cards on lead edge or operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months.

4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	236	Coated: Gloss	6 (220.1-256 gsm)	Short Edge Feed	<ul style="list-style-type: none"> • Cards should be applied to clean, dry surfaces for best results. • Manual duplex may be required.
Impressed Card	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Polyester card is only printable on one side unless custom is quoted. • Manual duplex may be required.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil					Short Edge Feed	

Ricoh PRO C901/C901S Graphic Arts Edition

BestCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time. • Manual duplex may be required.
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (105.1-163 gsm)	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • Manual duplex may be required.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (256.1-300 gsm)	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time. • Manual duplex may be required.
2UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (256.1-300 gsm)	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Manual duplex may be required. • If guillotine cutting, stack up to 30 sheets at a time.
EconoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	4 (256.1-300 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • Manual duplex may be required.
Magnot	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	118	Plain Paper	4 (105.1-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load max 50-100 sheets with cards on lead edge or operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Low tack adhesive is cleanly repositionable for up to 6 months. • Cards should be applied to clean, dry surfaces for best results. • Manual duplex may be required.
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	236	Coated: Gloss	6 (220.1-256 gsm)	Short Edge Feed	
Impressed Card	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil	Yes	118	Plain Paper	6 (105.1-163 GSM)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (105.1-163 GSM)	Short Edge Feed	<ul style="list-style-type: none"> • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Polyester card is only printable on one side unless custom is quoted. • Manual duplex may be required.

Ricoh PRO C901/C901S Graphic Arts +

BestCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time. • Manual duplex may be required.
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • Manual duplex may be required.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (2561-350 gsm)	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time. • Manual duplex may be required.
2UP, 2WIDE, 10mil					Short Edge Feed	
EconoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • Manual duplex may be required.
Magnet	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet 2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load max 50-100 sheets with cards on lead edge or operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Low tack adhesive is cleanly repositionable for up to 6 months. • Cards should be applied to clean, dry surfaces for best results. • Manual duplex may be required.
4UP, 7mil Paper Magnet 4UP, 7mil Polyester Magnet	Yes	236	Coated: Gloss	6 (2201-256 gsm)	Short Edge Feed	
Impressed Card	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Polyester card is only printable on one side unless custom is quoted. • Manual duplex may be required.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil					Short Edge Feed	

Ricoh PRO C7100X/C7110X/C7100SX/C7110SX

BestCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time. • Manual duplex may be required.
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain Paper	4 (1051-163 gsm)	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • Manual duplex may be required.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	256	Plain Paper	7 (2561-300 gsm)	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time. • Manual duplex may be required.
EconoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	148	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	148	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • Manual duplex may be required.
Magnet	Compatible	GSM	Mode/Type	Weight	Orientation	Notes
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet 2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet	Yes	118	Plain Paper	4 (1051-163 gsm)	Long Edge Feed	<ul style="list-style-type: none"> • Load max 50-100 sheets with cards on lead edge or operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Low tack adhesive is cleanly repositionable for up to 6 months. • Cards should be applied to clean, dry surfaces for best results. • Manual duplex may be required.
4UP, 7mil Paper Magnet 4UP, 5mil Polyester Magnet	Yes	236	Coated: Gloss	6 (220.1-256 gsm)	Short Edge Feed	