

Embedded Cards



(800) 284-7273 • thepapermill.com

Konica Minolta Bizhub PRO C6500/6501/6501P/5500/5501

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time.
EconoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Test any post printing processes ie. folding, inserting.
Magnot	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load max 50 sheets with cards on lead edge or away from operator. Not recommended to print artwork over perms/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.
2UP, 7mil BestCard Paper Magnot 5mil 2UP, 7mil/4mil BestCard/Clear Poly Magnot						
Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards on operator side. Not recommended to print artwork over perms/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.

Konica Minolta Bizhub PRESS C70hc/C71hc/PRO C65hc

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time.
EconoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP,10mil 2UP, 10mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Test any post printing processes ie. folding, inserting.
Magnot	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards on trailing edge. Not recommended to print artwork over perms/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months. Cards should be applied to clean, dry surfaces for best results.
2UP, 7mil BestCard Poly Magnot 5mil 2UP,7mil/4mil BestCard/Clear Poly Magnot						

Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.

Konica Minolta Bizhub PRESS C7000/C7000P/C6000/PRO C6000L

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Manual duplex may be required.
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. Manual duplex may be required.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	148	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Manual duplex may be required.
2UP, 2WIDE, 10mil					Short Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Manual duplex may be required. If guillotine cutting, stack up to 30 sheets at a time.

Magnot	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load max 50 sheets with cards on lead edge or operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months. Cards should be applied to clean, dry surfaces for best results.
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	300	Coated-ML	White	Short Edge Feed	

Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil					Short Edge Feed	

KONICA MINOLTA BIZHUB PRESS C1070/C1070P/C1060/PRO C1060L

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Manual duplex may be required.
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. Manual duplex may be required.

1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	148	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time. • Manual duplex may be required.
2UP, 2WIDE, 10mil	Yes	148	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Manual duplex may be required. • If guillotine cutting, stack up to 30 sheets at a time.
EconoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting.
Magnet	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> • Load max 50 sheets with cards on lead edge or operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Low tack adhesive is cleanly repositionable for up to 6 months. • Cards should be applied to clean, dry surfaces for best results.
2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet						
4UP, 7mil Paper Magnet 4UP, 5mil Polyester Magnet	Yes	300	Coated-ML	White	Short Edge Feed	
Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil					Long Edge Feed	
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Polyester card is only printable on one side unless custom is quoted.

KONICA MINOLTA BIZHUB PRESS C8000

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	White	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time. • Manual duplex may be required.
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • Manual duplex may be required.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	300	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time. • Manual duplex may be required.
2UP, 2WIDE, 10mil	Yes	300	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Manual duplex may be required. • If guillotine cutting, stack up to 30 sheets at a time.
1UP, 13mil 2UP, 13mil	Yes	350	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Manual duplex may be required. • If guillotine cutting, stack up to 30 sheets at a time.

EconoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting.
Magnot	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load max 50 sheets with cards on lead edge or operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months. Cards should be applied to clean, dry surfaces for best results.
2UP, 7mil BestCard Poly Magnot 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnot						
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	300	Coated-ML	White	Short Edge Feed	
Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil					Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Coated-ML	White	Short Edge Feed	

KONICA MINOLTA BIZHUB PRESS C1100/C1085

BestCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Manual duplex may be required.
1UP, 2WIDE, 7mil					Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards operator side. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. Manual duplex may be required.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	300	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Manual duplex may be required.
2UP, 2WIDE, 10mil	Yes	300	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Manual duplex may be required. If guillotine cutting, stack up to 30 sheets at a time.
1UP, 13mil 2UP, 13mil	Yes	350	Coated-ML	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Manual duplex may be required. If guillotine cutting, stack up to 30 sheets at a time.
EconoCard	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting.

Magnet	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> • Load max 50 sheets with cards on lead edge or operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Low tack adhesive is cleanly repositionable for up to 6 months. • Cards should be applied to clean, dry surfaces for best results.
2UP, 7mil BestCard Poly Magnet 5mil 2UP 7mil/4mil BestCard/Clear Poly Magnet						
4UP, 7mil Paper Magnet 4UP, 5mil Polyester Magnet	Yes	300	Coated-ML	White	Short Edge Feed	
Impressed Card	Compatible	GSM	Mode/Type	Color	Orientation	Notes
1UP, 7mil						
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Coated-ML	White	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Polyester card is only printable on one side unless custom is quoted.