

Embedded Cards



(800) 284-7273 • thepapermill.com

Xerox Docucolor 242/252/260

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Heavyweight 1	HW1B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil						Short Edge Feed	

2UP, 2WIDE, 7mil	Yes	118	Heavyweight 1	HW1B	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards operator side. Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting.
------------------	-----	-----	---------------	------	-------	-----------------	--

EconoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting.

PromoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting.

Magnot	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load max 300 sheets with cards on lead edge or away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months. Cards should be applied to clean, dry surfaces for best results.
2UP, 7mil/5mil BestCard Poly Magnot 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	300	Coated 3	Default	White	Short Edge Feed	

Impressed Card	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 175 sheets at a time with cards on operator side Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.
1UP, 2WIDE, 7mil						Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	216	Heavyweight 2	HW2B	White	Short Edge Feed	

Xerox Color 550/560/570

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil	Yes	118	Heavyweight 1	HW1B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time.
2UP, 7mil						Short Edge Feed	

1UP, 2WIDE, 7mil	Yes	118	Heavyweight 1	HW1B	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards operator side Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting.
------------------	-----	-----	---------------	------	-------	-----------------	---

2UP, 2WIDE, 7mil	Yes	118	Heavyweight 1	HW1B	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards operator side Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting.
------------------	-----	-----	---------------	------	-------	-----------------	---

EconoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting.
Polyester Magnot	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot 2UP, 7mil/5mil BestCard/Poly Magnot 2UP, 7mil/4mil BestCard/Clear Poly Magnot	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load max 300 sheets with cards on lead edge or away from operator. Not recommended to print artwork over perms/cuts. Recommended to feed from bypass. If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months. Cards should be applied to clean, dry surfaces for best results. Test any post printing processes ie. folding, inserting, cutting.
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	300	Coated 3	Default	White	Short Edge Feed	
Impressed Card	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil						Long Edge Feed	<ul style="list-style-type: none"> Load up to 175 sheets at a time with cards on operator side. Not recommended to print artwork over perms/cuts. Recommended to feed from bypass.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Heavyweight 2	HW2B	White	Short Edge Feed	<ul style="list-style-type: none"> Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.

Xerox Color C60/C70

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Heavyweight 1	HW1B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil						Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Heavyweight 1	HW1B	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards operator side. Not recommended to print artwork over perms/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting.
1UP, 9mil 2UP, 9mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards away from operator. Not recommended to print artwork over perms/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting.
Magnot	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load max 300 sheets with cards on lead edge or away from operator. Not recommended to print artwork over perms/cuts. Recommended to feed from bypass.
2UP, 7mil/5mil BestCard Poly Magnot 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months. Cards should be applied to clean, dry surfaces for best results.
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	300	Coated 3	Default	White	Short Edge Feed	

Impressed Card	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil	Yes	216	Heavyweight 2	HW2B	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 175 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.
1UP, 2WIDE 2UP, 2WIDE, 7mil						Short Edge Feed	

Xerox C700/C700i/C770/C75/J75

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	106- 135 gsm	Uncoated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Transfer & decurler adjustment may be required.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil						Short Edge Feed	
1UP, 10mil 2UP, 10mil 2UP, 2WIDE, 10mil	Yes	216	177-220 gsm	Uncoated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Transfer adjustment may be required. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Recommended to feed from bypass.
2UP, 2WIDE, 10mil	Yes	216	177-220 gsm	Uncoated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Feed from bypass tray. Transfer may require adjustment. If guillotine cutting, stack up to 30 sheets at a time.

EconoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	177-220 gsm	Uncoated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Feed from bypass tray. Transfer may require adjustment. Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil	Yes	216	177-220 gsm	Uncoated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 100 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Feed from bypass tray. Transfer may require adjustment. Test any post printing processes ie. folding, inserting.
1UP, 5mil 1UP, 4mil Clear Poly Magnot 2UP, 7mil/5mil BestCard Poly Magnot 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	216	177-220 gsm	Uncoated	White	Long Edge Feed	<ul style="list-style-type: none"> Load max 200 sheets with cards on lead edge or away from operator. If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months Cards should be applied to clean, dry surfaces for best results. Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting, cutting.
4UP, 7MIL 4UP, 5MIL	Yes	300	257-300 gsm	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting, cutting.

Impressed Card	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil	Yes	216	177-220 gsm	Uncoated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 175 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from bypass. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted. Transfer may require adjustment.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil						Short Edge Feed	

Xerox Docucolor 6060/7000AP/7002/8000/8002/8080

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil	Yes	118	A	Uncoated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time.

Polyester Magnot	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 5mil 1UP, 4mil Clear Poly Magnot 2UP, 7mil/5mil BestCard Poly Magnot 2UP 7mil/4mil BestCard/Clear Poly Magnot	Yes	216	A	Coated	White	Long Edge Feed	<ul style="list-style-type: none"> Load max 50 sheets with cards on lead edge or away from operator. Not recommended to print artwork over perfs/cuts. Simplex printing only. Manual duplex if necessary. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time.
4UP, 7MIL 4UP, 5MIL	Yes	300	A	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Low tack adhesive is cleanly repositionable for up to 6 months. Cards should be applied to clean, dry surfaces for best results.

Impressed Card	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil	Yes	216	A	Coated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 50 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Simplex printing only. Manual duplex if necessary. Test any post printing processes ie. folding, inserting, cutting. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.

Xerox Versant 80 Press

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	Coated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 5, 6, or 7. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Transfer may require adjustment.
1UP, 2WIDE, 7mil						Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards operator side. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 5, 6, or 7. Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	216	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 5, 6, or 7. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Transfer may require adjustment.
2UP, 2WIDE, 10mil	Yes	216	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards operator side. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 5, 6, or 7. If guillotine cutting, stack up to 30 sheets at a time.
1UP, 13mil 2UP, 13mil	Yes	300	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 175 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 5, 6, or 7. If guillotine cutting, stack up to 30 sheets at a time.

EconoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Plain	Coated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 5, 6, or 7. Test any post printing processes ie. folding, inserting.

PromoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Plain	Coated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 5, 6, or 7. Test any post printing processes ie. folding, inserting.

Polyester Magnot	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 5mil 1UP, 4mil Clear Poly Magnot	Yes	350	Plain	Coated	White	Long Edge Feed	<ul style="list-style-type: none"> Manual duplex may be required. Load max 250 sheets with cards on lead edge or operator side. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 5, 6, or 7. Test any post printing processes ie. folding, inserting, cutting. Transfer may require adjustment.
2UP, 7mil/5mil BestCard/Poly Magnot 2UP, 7mil/4mil BestCard/Poly Magnot						Short Edge Feed	
4UP, 7mil 4UP, 5mil	Yes	350	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> If guillotine cutting, stack up to 30 sheets at a time. Low tack adhesive is cleanly repositionable for up to 6 months. Cards should be applied to clean, dry surfaces for best results.

Impressed Card	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil	Yes	216	Plain	Coated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 175 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 5, 6, or 7. Test any post printing processes ie. folding, inserting, cutting. Transfer may require adjustment. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil						Short Edge Feed	

Xerox Versant 2100 Press

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	Coated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 6,7, or bypass. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Transfer may require adjustment.
1UP, 2WIDE, 7mil						Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards operator side. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 6,7, or bypass. Transfer may require adjustment. Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil 1UP, 2WIDE, 10mil	Yes	216	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Recommended to feed from tray 6, 7, or bypass. Test any post printing processes ie. folding, inserting If guillotine cutting, stack up to 30 sheets at a time. Transfer may require adjustment.
2UP, 2WIDE, 10mil	Yes	216	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Feed from tray 6, 7, or bypass. Transfer may require adjustment. If guillotine cutting, stack up to 30 sheets at a time.
1UP, 13mil 2UP, 13mil	Yes	250	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 175 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Feed from tray 6, 7, or bypass. Transfer may require adjustment. If guillotine cutting, stack up to 30 sheets at a time.

EconoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	216	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Feed from tray 6, 7, or bypass. Transfer may require adjustment. Test any post printing processes ie. folding, inserting.

PromoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Feed from tray 6, 7, or bypass. Transfer may require adjustment. Test any post printing processes ie. folding, inserting.

Magnet	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 5mil Polyester Magnet 1UP, 4mil Clear Poly Magnet Decal	Yes	216	Plain	Coated	White	Long Edge Feed	<ul style="list-style-type: none"> Load max 300 sheets with cards on lead edge or operator side. Not recommended to print artwork over perfs/cuts. Feed from tray 6, 7, or bypass. Test any post printing processes ie. folding, inserting, cutting. Transfer may require adjustment. If guillotine cutting, stack up to 30 sheets at a time.
2UP, 7mil/5mil BestCard/Poly Magnet Adhesive 2UP, 7mil/4mil BestCard/Poly Magnet Decal						Short Edge Feed	
4UP, 7mil Paper Magnet/Adhesive Postcards 4UP, 5mil Polyester Adhesive Postcards	Yes	350	Plain	Coated	White	Short Edge Feed	<ul style="list-style-type: none"> Low tack adhesive is cleanly repositionable for up to 6 months. Cards should be applied to clean, dry surfaces for best results.

Impressed Card	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil Poly Peel Card	Yes	216	Plain	Coated	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 175 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Feed from tray 6, 7, or bypass. Test any post printing processes ie. folding, inserting, cutting. Transfer may require adjustment. If guillotine cutting, stack up to 30 sheets at a time. Polyester card is only printable on one side unless custom is quoted.
1UP, 2WIDE, 7mil Poly Peel Card 2UP, 2WIDE, 7mil Poly Peel Card						Short Edge Feed	

Xerox Color 800/800i/1000/1000i Press

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	118	Plain	Gloss	White	Long Edge Feed	<ul style="list-style-type: none"> Load up to 300 sheets at a time with cards away from operator. Not recommended to print artwork over perfs/cuts. Face up delivery is required. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil						Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	118	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 300 sheets at a time with cards operator side. Not recommended to print artwork over perfs/cuts. Face up delivery is required. Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil	Yes	216	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Face up delivery is required. Test any post printing processes ie. folding, inserting. If guillotine cutting, stack up to 30 sheets at a time. Bias Transfer may require adjustment.
1UP, 2WIDE, 10mil						Short Edge Feed	
2UP, 2WIDE, 10mil	Yes	118	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 250 sheets at a time with cards on operator side. Not recommended to print artwork over perfs/cuts. Face up delivery is required. Bias Transfer may require adjustment. If guillotine cutting, stack up to 30 sheets at a time.
1UP, 13mil 2UP, 13mil	Yes	250	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 175 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Face up delivery is required. Bias Transfer may require adjustment. If guillotine cutting, stack up to 30 sheets at a time.
1UP, 9mil 2UP, 9mil	Yes	216	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Face up delivery is required. Bias Transfer may require adjustment. Test any post printing processes ie. folding, inserting.

PromoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	216	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> Load up to 200-250 sheets at a time with cards on lead edge. Not recommended to print artwork over perfs/cuts. Face up delivery is required. Bias Transfer may require adjustment. Test any post printing processes ie. folding, inserting.

Polyester Magnot	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 5mil Card 1UP, 4mil Clear Poly Magnot	Yes	216	Plain	Gloss	White	Long Edge Feed	<ul style="list-style-type: none"> Load max 300 sheets with cards on lead edge or operator side. Not recommended to print artwork over perfs/cuts. Feed from tray 6, 7, or bypass. Test any post printing processes ie. folding, inserting, cutting. Bias Transfer may require adjustment. If guillotine cutting, stack up to 30 sheets at a time.
2UP, 7mil/5mil BestCard Poly Magnot 2UP, 7mil/4mil BestCard/Clear Poly Magnot						Short Edge Feed	
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	350	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> Low tack adhesive is cleanly repositionable for up to 6 months. Cards should be applied to clean, dry surfaces for best results.

Impressed Card	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil Impressed Card						Long Edge Feed	<ul style="list-style-type: none"> • Load up to 175 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Feed from tray 6, 7, or bypass. • Test any post printing processes ie. folding, inserting, cutting. • Transfer may require adjustment. • If guillotine cutting, stack up to 30 sheets at a time. • Polyester card is only printable on one side unless custom is quoted.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil	Yes	216	Plain	Gloss	White	Short Edge Feed	

Xerox iGen 3/4/4 Diamond Edition/150

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	200	Plain	Gloss	White	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil						Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	200	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil	Yes	295	Plain	Gloss	White	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 10mil						Short Edge Feed	
2UP, 2WIDE, 10mil	Yes	295	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • If guillotine cutting, stack up to 30 sheets at a time.
1UP, 13mil 2UP, 13mil	Yes	350	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time in lower tray with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Transfer A&B Side 1 & 2 = 150

Xerox iGen 3/4/4 Diamond Edition/150

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	295	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting.
PromoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	295	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting.
Magnot	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Plain	Matte	White	Long Edge Feed	<ul style="list-style-type: none"> • Load max 200 sheets with cards on lead edge or away from operator. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting, cutting. • Not recommended to print artwork over perfs/cuts. • If guillotine cutting, stack up to 30 sheets at a time. • Polyester card is only printable on one side unless custom is quoted.
2UP, 7mil/5mil BestCard Poly Magnot 2UP 7mil/4mil BestCard/Clear Poly Magnot						Short Edge Feed	
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	350	Plain	Gloss	White	Short Edge Feed	

Impressed Card	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil	Yes	216	Plain	Matte	White	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting, cutting.
1UP, 2WIDE, 7mil	Yes	216	Plain	Matte	White	Short Edge Feed	
2UP, 2WIDE, 7mil							

Xerox iGen 5

BestCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil 2UP, 7mil	Yes	200	Plain	Gloss	White	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting. • If guillotine cutting, stack up to 30 sheets at a time.
1UP, 2WIDE, 7mil	Yes	200	Plain	Gloss	White	Short Edge Feed	
2UP, 2WIDE, 7mil	Yes	200	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards away from operator. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting.
1UP, 10mil 2UP, 10mil	Yes	295	Plain	Gloss	White	Long Edge Feed	
1UP, 2WIDE, 10mil						Short Edge Feed	<ul style="list-style-type: none"> • Load up to 50 sheets at a time in lower tray with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Transfer A&B Side 1 & 2 = 150.
1UP, 13mil 2UP, 13mil	Yes	350	Plain	Gloss	White	Short Edge Feed	

EconoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 9mil 2UP, 9mil	Yes	295	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting.

PromoCard	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 10mil 2UP, 10mil	Yes	295	Plain	Gloss	White	Short Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on lead edge. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting.

Magnot	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 5mil Polyester Magnot 1UP, 4mil Clear Poly Magnot	Yes	216	Plain	Matte	White	Long Edge Feed	<ul style="list-style-type: none"> • Load max 200 sheets with cards on lead edge or away from operator. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Low tack adhesive is cleanly repositionable for up to 6 months. • Cards should be applied to clean, dry surfaces for best results.
2UP, 7mil/5mil BestCard/Poly Magnot 2UP, 7mil/4mil BestCard/Poly Magnot						Short Edge Feed	
4UP, 7mil Paper Magnot 4UP, 5mil Polyester Magnot	Yes	350	Plain	Gloss	White	Short Edge Feed	

Impressed Card	Compatible	GSM	Mode/Type	Image Quality	Color	Orientation	Notes
1UP, 7mil	Yes	216	Plain	Matte	White	Long Edge Feed	<ul style="list-style-type: none"> • Load up to 100 sheets at a time with cards on operator side. • Not recommended to print artwork over perfs/cuts. • Engine TAB may need to be cleaned prior to running media. • Test any post printing processes ie. folding, inserting, cutting. • If guillotine cutting, stack up to 30 sheets at a time. • Polyester card is only printable on one side unless custom is quoted.
1UP, 2WIDE, 7mil 2UP, 2WIDE, 7mil						Short Edge Feed	